



## BATTERY POWERED PRODUCTS

# HUSQVARNA DM 1 PACE

Art.no: 970 60 25 01

DM 1 PACE is a strong battery core drill. It is a stand mounted machine and part of the PACE battery system (94V). It is compatible with the DS 500 drill stand and together with the DE 120 H PACE, it creates an effective solution. Cable-free operation means there is no need to find an electric outlet or carry heavy extension cords. You can arrive at any job site and get to work without any unnecessary delays.

## FEATURES



### High productivity and efficiency

Quick charging of batteries for optimised performance. Covers a wide range of drill diameters. Provides max power output so you are not limited to the fuse size on the grid.



### One drill motor for most applications

With two fully charged batteries, this drill motor will manage most jobs where there are no electrical outlets nearby. This reduces the need for several different drill motors, enabling most jobs to be done with one machine.



### Longer lifetime and durability

The brushless permanent magnet motor ensures extended gearbox lifetime. The protective handlebar makes the product more impact proof.



### Low cost of ownership

Low downtime and few parts to service and to maintain, helps keep down the cost of ownership.

## TECHNICAL DATA HUSQVARNA DM 1 PACE

Art.no: 970 60 25 01

HUSQVARNA DM 1 PACE

### MOTOR

Motor type	BLDC (brushless)
Output power	2.4 kW
Power Source	Battery

### BATTERY

Battery eco system	PACE
--------------------	------

### EQUIPMENT

Drill bit diameter with stand, max	400 mm
Recommended drill bit diameter, min	25 mm

### TRANSMISSION

Number of gearbox speeds	3
--------------------------	---

### PRODUCT DATA

Water connector	Gardena Male
Water pressure, max	3 bar
Spindle thread, inner	G 1/2"
Spindle thread, outer	1 1/4" -7 UNC

### DIMENSIONS

Product size length	674 mm
Product size width	173 mm
Product size height	236 mm
Weight (complete product w/o side packed articles)	12.3 kg
Packaging length	770 mm
Packaging width	255 mm
Packaging height	335 mm
Article gross weight	15,200 g

### SOUND AND NOISE

Sound power level, guaranteed (LWA)	109.1 dB(A)
Sound power level, measured	109.1 dB(A)
Sound pressure level at operators ear (LpA)	93.4 dB(A)



View all product details on:

<https://www.husqvarnaconstruction.com/int/battery-powered-products/dm1pace/>

## RELATED CONSUMABLES



### DIAMOND CORE DRILL BITS ELITE-DRILL™ D1610

**Diameter mm:**  
52/-/350mm  
**Drill connection:**  
1 1/4" / CR128  
**Core length mm:**  
500 mm  
**Coolant:**  
Wet

## RELATED EQUIPMENT & ACCESSORIES



### PACE BATTERIES B750X PACE

**Battery Chemistry:**  
Li-Ion  
**Battery voltage:**  
93.6 V  
**Battery capacity:**  
8 Ah  
**Battery energy:**  
748.8 Wh



### PACE BATTERIES B380X PACE

**Battery Chemistry:**  
Li-Ion  
**Battery voltage:**  
93.6 V  
**Battery capacity:**  
4 Ah  
**Battery energy:**  
374.4 Wh



### PACE CHARGERS C1800X PACE

**Accessory for:**  
Battery products



### PACE CHARGERS C900X PACE

**Accessory for:**  
Battery products



### CORE DRILL STANDS DS 500

**Weight (complete product w/o side packed articles):**  
17.6 kg  
**Drill bit diameter, max:**  
500 mm  
**Travel length, max:**  
706 mm  
**Column's angling:**  
0-90°



### CORE DRILL STANDS DS 50 GYRO

**Weight (complete product w/o side packed articles):**  
56.5 kg  
**Drill bit diameter, max:**  
350 mm  
**Travel length, max:**  
670 mm  
**Column's angling:**  
+/-90°



### WATER TANKS WT 15I

**Water pressure, max:**  
0.9 bar  
**Water Tank Capacity:**  
15 l  
**Weight (complete product w/o side packed articles):**  
3.6 kg  
**Hose length:**  
3 m



### WATER TANKS WT2GO

**Water pressure, min:**  
0.5 bar  
**Water pressure, max:**  
0.7 bar  
**Water Tank Capacity:**  
14 l  
**Weight (complete product w/o side packed articles):**  
6 kg



### SLURRY RINGS/COLLECTORS SLURRY RINGS WSR

**Accessory for:**  
Dust collectors, Drill motors



### SLURRY RINGS/COLLECTORS SLURRY COLLECTOR V-SHAPED

**Accessory for:**  
Drill stands, Drill motors, Drill motors with stand



### SLURRY RINGS/COLLECTORS SLURRY COLLECTOR U-SHAPED

**Accessory for:**  
Drill stands, Drill motors, Drill motors with stand



**SLURRY AND WET VACUUMS  
W/250 P**

**Power Source:**  
Corded  
**Phases:**  
1 ph  
**Air Requirement:**  
160 m<sup>3</sup>/h  
**Rated input power:**  
1.55 kW



**SLURRY AND WET VACUUMS  
W/70 P**

**Power Source:**  
Corded  
**Phases:**  
1 ph  
**Air Requirement:**  
200 m<sup>3</sup>/h  
**Rated input power:**  
1.85 kW



**DUST EXTRACTORS  
S/13**

**Power Source:**  
Corded  
**Phases:**  
1 ph  
**Rated input power:**  
1.2 kW  
**Air flow:**  
165 m<sup>3</sup>/h



**WORK LIGHTS  
WL 8I**

**Battery eco system:**  
BLi-X  
**Weight (complete product w/o side packed articles):**  
3.62 kg



**WORK LIGHTS  
WL 24 PACE**

**Battery eco system:**  
PACE  
**Weight (complete product w/o side packed articles):**  
22.5 kg



**WATER TANKS  
WT 60I**

**Water Tank Capacity:**  
60 l  
**Weight (complete product w/o side packed articles):**  
16.7 kg  
**Hose length:**  
5 m